


## Color Difference Report

| Specimen Information |                        |                        |
|----------------------|------------------------|------------------------|
|                      | Standard               | Sample                 |
| Name                 | FW2**                  | PCnoir®AS              |
| Material             |                        |                        |
| Condition            | Φ4mm, SCE, UV Cut None | Φ4mm, SCE, UV Cut None |
| Date Time            | 3/31/2026 9:28:26 AM   | 3/31/2026 9:54:27 AM   |



### Tolerance

|       | D65/10° | A/2°  | F2/2° |
|-------|---------|-------|-------|
| ΔE*ab | 1.000   | 1.000 | 1.000 |

### Color Indexes

|            | D65/10°  |        | A/2°     |        | F2/2°    |        |
|------------|----------|--------|----------|--------|----------|--------|
|            | Standard | Sample | Standard | Sample | Standard | Sample |
| L*         | 2.25     | 2.79   | 2.20     | 2.76   | 2.22     | 2.77   |
| a*         | -0.15    | -0.15  | -0.23    | -0.17  | -0.12    | -0.12  |
| b*         | -0.34    | -0.20  | -0.39    | -0.26  | -0.37    | -0.21  |
| C*         | 0.37     | 0.25   | 0.45     | 0.31   | 0.38     | 0.24   |
| h°         | 246.12   | 233.47 | 239.02   | 236.24 | 251.93   | 241.04 |
| MY Carbon  | 260.42   | 250.98 | 261.31   | 251.51 | 261.02   | 251.40 |
| Sum of K/S | --       | 81.23  | --       | 81.23  | --       | 81.23  |

### Color Diff.

|           | D65/10° | A/2° | F2/2° |
|-----------|---------|------|-------|
| ΔL*       | 0.55    | 0.56 | 0.55  |
| Δa*       | 0.00    | 0.06 | 0.00  |
| Δb*       | 0.14    | 0.13 | 0.16  |
| ΔE*ab     | 0.56    | 0.58 | 0.57  |
| Judgement | Pass    | Pass | Pass  |

Test: Alfred      Audit: Karry

Instrument Model: X-rite Ci64